ELSEVIER

Wear 210 (1997) 333

WEAR

Author Index of Volume 210

Adnot, A., 127
Arola, D., 50

Baker, T.N., 263
Barbist, R., 88
Batchelor, A.W., 157
Bergström, J., 88
Björk, T., 88
Bonis, M., 311
Burggraaf, A.J., 178

Cao, L., 83
Chao, L.-Y., 278
Çimenoğlu, H., 204
Czołczyński, K., 220

Dražič, G., 27
Dubé, D., 127

Fang, L., 1, 145
Fiset, M., 127
Fourka, M., 311
Fu, Y., 157

Gao, Y., 145
Gao, Y.-M., 1
Gras, R., 326
Grenier, M., 127
Gu, Y., 157
Gu, Z., 287
Guu, Y.Y., 245

Hagler, J., 88
He, Y.J., 178
Hisakado, T., 188
How, H.C., 263

Ikeuchi, K., 112, 171
Iwai, Y., 211
Iyer, K.J.L., 237
Iyer, N., 278

Jain, S.C., 67
Jin, Y.S., 136
Juliet, P., 326

Kalin, M., 27
Kim, H.-J., 291
Krishna Kumar, V., 255
Krishnaraj, N., 237
Kuster, M., 318

Lakshminarayanan, R., 278
Li, S., 17
Lin, J.F., 245
Liu, J., 287
Liu, J.-J., 39
Liu, W., 273
Liu, W.-M., 151, 195
Liu, Y.-R., 39
LiuJiajun, 45
LiWenzhi, 45
Luo, Z.-B., 39

Ma, Y., 287
Machado, A.R., 76
McColl, I.R., 304
Miao, H.-Z., 39
Mitterer, C., 88

Nagaraju, T., 67
Nambu, K., 211
Novak, S., 27

Ohashi, M., 112, 171
Olesiak, Z., 120

Pauleau, Y., 326
Podsiadlo, P., 318
Pyryev, Yu., 120

Ramulu, M., 50

Schipper, D.J., 178
Sharma, S.C., 67
Shen, G., 83
Shen, W.-C., 151, 195
Shetty, D.K., 278
Shima, M., 304
Si, S., 145
Simizu, K., 188
Song, J.-H., 291
Stachowiak, G.W., 318
Su, J.-Y., 1, 299
Su, Y.-Y., 165
Suda, H., 188
Suetake, H., 304
Sundaresan, S., 237
Sundqvist, M., 88
Swarnamani, S., 255

Takeuchi, M., 304
Terheci, M., 17

Verweij, H., 178
Vižintin, J., 27

Wallbank, J., 76
Wan, Y., 83
Wang, Q., 8
Waterhouse, R.B., 304
Winnubst, A.J.A., 178
Wong, P.L., 104
Wu, W.-Z., 299
Wu, Y., 287

Xing, H., 157
Xing, J.-D., 299
Xu, H., 104
Xue, Q., 273
Xue, Q.-J., 151, 195

Yamada, Y., 59
Yan, T., 136
Yang, Y.Y., 136
Yao, W., 83
Ye, X., 83
Yevtushenko, A., 120
Yue, Q., 83

Zaitsev, A.L., 96
Zhang, Z., 104, 273
Zhang, Z.-Z., 151, 195
Zhou, Q., 145
Zhou, Y.S., 112, 171
Zhu, B.-L., 39
Zhuang Daming, 45
Zhu Baoliang, 45

Elsevier Science S.A.

ELSEVIER

Wear 210 (1997) 335–339

WEAR

Subject Index of Volume 210

AA6061 alloy
dry sliding wear behaviour of Saffil-reinforced AA6061 composites, 263
Abrasion resistance
microstructure and wear resistance of CP titanium laser alloyed with a mixture of reactive gases, 127
Abrasive waterjet
material removal in abrasive waterjet machining of metals. Surface integrity and texture, 50
Abrasive wear
subsurface characteristics of an abraded low carbon steel, 204
Abrasive wear test
an investigation on three-body abrasive wear test at elevated temperature, 299
Additive
effect of a surface film on the friction and wear properties of plasma-sprayed Al_2O_3–40%ZrO_2 coatings, 136
AES
tribological performance and action mechanism of certain S,N heterocyclic compounds as potential lubricating oil additives, 83
Air stream mixed with water and soluble oil
the effect of extremely low lubricant volumes in machining, 76
Air thrust bearing
comparison between externally pressurized gas thrust bearings with different orifice and porous feeding systems, 311
Al_2O_3
vibration monitoring in sliding wear of plasma sprayed ceramics, 255
AlO_2
effects of a second phase on the tribological properties of Al_2O_3 and ZrO_2 ceramics, 178
Alumina
the effect of tribofilm formation on the tribological characteristics of ceramic–cast iron sliding pairs, 1
start up and steady state friction of alumina against alumina, 112
comparison of the friction properties of four ceramic materials for joint replacements, 171
Artificial joint
start up and steady state friction of alumina against alumina, 112
comparison of the friction properties of four ceramic materials for joint replacements, 171
Asperity contact
wear of steel in rolling contact with silicon nitride, 278
Auger electron spectroscopy
microstructure and wear resistance of CP titanium laser alloyed with a mixture of reactive gases, 127

Bearing steel
wear mechanisms in oil-lubricated and dry fretting of silicon nitride against bearing steel contacts, 27
Biomaterial
start up and steady state friction of alumina against alumina, 112
Boundary lubrication
the effects of iron particles on the friction and wear mechanisms of ceramics in ethanol, 188
wear of steel in rolling contact with silicon nitride, 278
Braking
determination of temperature and wear during braking, 120

Capillary restrictor
misaligned journal effects in liquid hydrostatic non-recessed journal bearings, 67
Carbon steel
scuffing resistance of salt bath nitrocarburized medium carbon steel, 237
Ceramic
start up and steady state friction of alumina against alumina, 112
effect of lubricants on the friction and wear of Al_2O_3 against gray cast iron, 145
Ceramic cutting tools
the computer simulation of the temperature distribution on the surface of ceramic cutting tools, 39
Ceramics
wear mechanisms in oil-lubricated and dry fretting of silicon nitride against bearing steel contacts, 27
effects of a second phase on the tribological properties of Al_2O_3 and ZrO_2 ceramics, 178
the effects of iron particles on the friction and wear mechanisms of ceramics in ethanol, 188
Chip thickness
the effect of extremely low lubricant volumes in machining, 76
Coating
effect of a surface film on the friction and wear properties of plasma-sprayed Al_2O_3–40%ZrO_2 coatings, 136
Composites
effects of a second phase on the tribological properties of Al_2O_3 and ZrO_2 ceramics, 178
Computer simulation
the computer simulation of the temperature distribution on the surface of ceramic cutting tools, 39
Contact pressure
determination of temperature and wear during braking, 120
Cutting forces
the effect of extremely low lubricant volumes in machining, 76
Cutting lubricants
the effect of extremely low lubricant volumes in machining, 76

Deep drawing
a comparative study on the evaluation of the tribological behaviour of polymer/zinc coated steel sheets, 88
Diffusion
analysis of wear behaviour of titanium carbonitride coatings, 245
Dry conditions
wear mechanisms in oil-lubricated and dry fretting of silicon nitride against bearing steel contacts, 27

Elsevier Science S.A.

Dry sliding
dry sliding wear behaviour of Saffil-reinforced AA6061 composites, 263

Elastohydrodynamics
performance evaluation of high pressure sleeve seal, 104
Elastomeric lining material
slurry wear properties of pump lining materials, 211
Electrochemical reactions
enhanced boundary lubrication by potential control during copper wire drawing, 165
Electron probe microanalysis
tribological properties of 4,5-di(cetyl thio)-1,3-dithiole-2-thione as additive in liquid paraffin, 273
Elevated temperature
an investigation on three-body abrasive wear test at elevated temperature, 299
Emulsion lubricant
enhanced boundary lubrication by potential control during copper wire drawing, 165
EPMA analyses
tribological properties of metal–plastic multilayer composites under oil lubricated conditions, 195
Erosion
material removal in abrasive waterjet machining of metals. Surface integrity and texture, 50
Ethanol
the effects of iron particles on the friction and wear mechanisms of ceramics in ethanol, 188

Ferrography
numerical analysis of wear particles from non-arthritic and osteoarthritic human knee joints, 318
Finite element method
misaligned journal effects in liquid hydrostatic non-recessed journal bearings, 67
comparison between externally pressurized gas thrust bearings with different orifice and porous feeding systems, 311
Fretting
a study of the friction and wear performance of MoS_x thin films produced by ion beam enhanced deposition and magnetron sputtering, 45
Fretting stroke
on the behaviour of an oil lubricated fretting contact, 304
Fretting wear
wear mechanisms in oil-lubricated and dry fretting of silicon nitride against bearing steel contacts, 27
on the behaviour of an oil lubricated fretting contact, 304
Friction
investigation of HDPE wear debris formed by friction against metal surfaces with different oxide film content, 96
start up and steady state friction of alumina against alumina, 112
effect of lubricants on the friction and wear of Al_2O_3 against gray cast iron, 145
comparison of the friction properties of four ceramic materials for joint replacements, 171
Frictional heating
determination of temperature and wear during braking, 120
Frictional surfaces
friction and wear properties of metal powder filled PTFE composites under oil lubricated conditions, 151
Friction and wear
a study of the friction and wear performance of MoS_x thin films produced by ion beam enhanced deposition and magnetron sputtering, 45
friction and wear properties of metal powder filled PTFE composites under oil lubricated conditions, 151
tribological properties of metal–plastic multilayer composites under oil lubricated conditions, 195
the effect of oxy-nitrided steel surface on improving the lubricating performance of tricresyl phosphate, 287
Friction coefficient
friction coefficient and wear rate of sputter-deposited thin films and plasma-sprayed thick coatings at high temperatures in room air, 326

Gas bearings
stability of the rotor supported in gas journal bearings with a chamber feeding system, 220
Gray cast iron
effect of lubricants on the friction and wear of Al_2O_3 against gray cast iron, 145
Gray iron
the effect of tribofilm formation on the tribological characteristics of ceramic–cast iron sliding pairs, 1

High pressure
performance evaluation of high pressure sleeve seal, 104
High temperature lubrication
effect of a surface film on the friction and wear properties of plasma-sprayed Al_2O_3–40%ZrO_2 coatings, 136
Hip joint replacement
start up and steady state friction of alumina against alumina, 112
Hybrid bearings
wear of steel in rolling contact with silicon nitride, 278
Hydrostatic/hybrid
misaligned journal effects in liquid hydrostatic non-recessed journal bearings, 67

Impingement variables
slurry wear properties of pump lining materials, 211
Indentation size effect
subsurface characteristics of an abraded low carbon steel, 204
Ion beam enhanced deposition
a study of the friction and wear performance of MoS_x thin films produced by ion beam enhanced deposition and magnetron sputtering, 45
Iron particles
the effects of iron particles on the friction and wear mechanisms of ceramics in ethanol, 188

Journal bearings
seizure failure of journal–bearing conformal contacts, 8

Laser gas alloying
microstructure and wear resistance of CP titanium laser alloyed with a mixture of reactive gases, 127
Laser treatment
wear behaviour of laser-treated plasma-sprayed ZrO_2 coatings, 157
Limiting PV values
tribological properties of metal–plastic multilayer composites under oil lubricated conditions, 195
Low carbon steel
subsurface characteristics of an abraded low carbon steel, 204
Lubricant
effect of lubricants on the friction and wear of Al_2O_3 against gray cast iron, 145
Lubricated conditions
wear mechanisms in oil-lubricated and dry fretting of silicon nitride against bearing steel contacts, 27
Lubrication
enhanced boundary lubrication by potential control during copper wire drawing, 165

Machining
material removal in abrasive waterjet machining of metals. Surface integrity and texture, 50
Magnetron sputtering
a study of the friction and wear performance of MoS_x thin films produced by ion beam enhanced deposition and magnetron sputtering, 45
2-Mercaptobenzothiazole
tribological performance and action mechanism of certain S,N heterocyclic compounds as potential lubricating oil additives, 83
Metal fillers
friction and wear properties of metal powder filled PTFE composites under oil lubricated conditions, 151
Metal matrix composites
dry sliding wear behaviour of Saffil-reinforced AA6061 composites, 263
Metal–plastic multilayer composites
tribological properties of metal–plastic multilayer composites under oil lubricated conditions, 195
Method of heat sources
the computer simulation of the temperature distribution on the surface of ceramic cutting tools, 39
Misalignment
misaligned journal effects in liquid hydrostatic non-recessed journal bearings, 67
Molten Al–Zn
sliding wear performance of cobalt-based alloys in molten-Al-added zinc bath, 291
MoS_2
a study of the friction and wear performance of MoS_x thin films produced by ion beam enhanced deposition and magnetron sputtering, 45
Multiple orifice inlets
comparison between externally pressurized gas thrust bearings with different orifice and porous feeding systems, 311

Non linear analysis
comparison between externally pressurized gas thrust bearings with different orifice and porous feeding systems, 311
Non-recessed
misaligned journal effects in liquid hydrostatic non-recessed journal bearings, 67
Numerical descriptors
numerical analysis of wear particles from non-arthritic and osteoarthritic human knee joints, 318

Oil
wear mechanisms in oil-lubricated and dry fretting of silicon nitride against bearing steel contacts, 27
Oil additive
tribological properties of 4,5-di(cetyl thio)-1,3-dithiole-2-thione as additive in liquid paraffin, 273
Oil lubrication
friction and wear properties of metal powder filled PTFE composites under oil lubricated conditions, 151
tribological properties of metal–plastic multilayer composites under oil lubricated conditions, 195
on the behaviour of an oil lubricated fretting contact, 304
Oil viscosity
on the behaviour of an oil lubricated fretting contact, 304
Osteoarthritis
numerical analysis of wear particles from non-arthritic and osteoarthritic human knee joints, 318
Oxidation–abrasion interaction
an investigation on three-body abrasive wear test at elevated temperature, 299
Oxide films
investigation of HDPE wear debris formed by friction against metal surfaces with different oxide film content, 96
Oxy-nitridation
the effect of oxy-nitrided steel surface on improving the lubricating performance of tricresyl phosphate, 287

Particle variables
slurry wear properties of pump lining materials, 211
Pin-on-disc machine
vibration monitoring in sliding wear of plasma sprayed ceramics, 255
Plasma coated sintered steels
stress–overstress–surface fatigue: new approach in the understanding of the tribology of plasma coated sintered steels, 17
Plasma spray
wear behaviour of laser-treated plasma-sprayed ZrO_2 coatings, 157
Plasma sprayed ceramics
vibration monitoring in sliding wear of plasma sprayed ceramics, 255
Plasma spraying
friction coefficient and wear rate of sputter-deposited thin films and plasma-sprayed thick coatings at high temperatures in room air, 326
Polybutane oils
on the behaviour of an oil lubricated fretting contact, 304
Polymer coatings
a comparative study on the evaluation of the tribological behaviour of polymer/zinc coated steel sheets, 88
Polymer–polymer sliding pair
investigation of transfer phenomenon by X-ray photoelectron spectroscopy and tribological properties of polymers sliding against polymers, 59
Porous material
comparison between externally pressurized gas thrust bearings with different orifice and porous feeding systems, 311
Potential control
enhanced boundary lubrication by potential control during copper wire drawing, 165
PTA
sliding wear performance of cobalt-based alloys in molten-Al-added zinc bath, 291
PTFE composites
friction and wear properties of metal powder filled PTFE composites under oil lubricated conditions, 151

r.m.s. acceleration
vibration monitoring in sliding wear of plasma sprayed ceramics, 255
Rolling contact
wear of steel in rolling contact with silicon nitride, 278

Saffil
dry sliding wear behaviour of Saffil-reinforced AA6061 composites, 263
Salt bath nitrocarburizing
scuffing resistance of salt bath nitrocarburized medium carbon steel, 237
S-containing heterocyclic compound
tribological properties of 4,5-di(cetyl thio)-1,3-dithiole-2-thione as additive in liquid paraffin, 273
Scuffing
scuffing resistance of salt bath nitrocarburized medium carbon steel, 237
Seizure failure
seizure failure of journal–bearing conformal contacts, 8
Silicon carbide
comparison of the friction properties of four ceramic materials for joint replacements, 171

Silicon nitride
the effect of tribofilm formation on the tribological characteristics of ceramic–cast iron sliding pairs, 1
wear mechanisms in oil-lubricated and dry fretting of silicon nitride against bearing steel contacts, 27
comparison of the friction properties of four ceramic materials for joint replacements, 171
wear of steel in rolling contact with silicon nitride, 278
Sleeve seal
performance evaluation of high pressure sleeve seal, 104
Sliding wear
vibration monitoring in sliding wear of plasma sprayed ceramics, 255
sliding wear performance of cobalt-based alloys in molten-Al-added zinc bath, 291
Slurry jet test
slurry wear properties of pump lining materials, 211
Slurry wear
slurry wear properties of pump lining materials, 211
Solid lubricant
a study of the friction and wear performance of MoS_x thin films produced by ion beam enhanced deposition and magnetron sputtering, 45
Sputter deposition
friction coefficient and wear rate of sputter-deposited thin films and plasma-sprayed thick coatings at high temperatures in room air, 326
Stability
stability of the rotor supported in gas journal bearings with a chamber feeding system, 220
Steel sheets
a comparative study on the evaluation of the tribological behaviour of polymer/zinc coated steel sheets, 88
Stellite 6
sliding wear performance of cobalt-based alloys in molten-Al-added zinc bath, 291
Stiffness
comparison between externally pressurized gas thrust bearings with different orifice and porous feeding systems, 311
Surface analysis
microstructure and wear resistance of CP titanium laser alloyed with a mixture of reactive gases, 127
effects of a second phase on the tribological properties of Al_2O_3 and ZrO_2 ceramics, 178
Surface film
effect of a surface film on the friction and wear properties of plasma-sprayed Al_2O_3–40%ZrO_2 coatings, 136
Surface integrity
material removal in abrasive waterjet machining of metals. Surface integrity and texture, 50
Surface roughness
the effect of extremely low lubricant volumes in machining, 76
Surface texture
material removal in abrasive waterjet machining of metals. Surface integrity and texture, 50
Synovial joints
numerical analysis of wear particles from non-arthritic and osteoarthritic human knee joints, 318
Synthesis
tribological performance and action mechanism of certain S,N heterocyclic compounds as potential lubricating oil additives, 83

Temperature
determination of temperature and wear during braking, 120
analysis of wear behaviour of titanium carbonitride coatings, 245
Thermogravimetric analysis
tribological properties of 4,5-di(cetyl thio)-1,3-dithiole-2-thione as additive in liquid paraffin, 273
Ti(C,N,O) layer
microstructure and wear resistance of CP titanium laser alloyed with a mixture of reactive gases, 127
TiO_2
vibration monitoring in sliding wear of plasma sprayed ceramics, 255
Titanium
microstructure and wear resistance of CP titanium laser alloyed with a mixture of reactive gases, 127
Titanium carbonitride
analysis of wear behaviour of titanium carbonitride coatings, 245
Topographical analysis
the effects of iron particles on the friction and wear mechanisms of ceramics in ethanol, 188
Transfer films
investigation of transfer phenomenon by X-ray photoelectron spectroscopy and tribological properties of polymers sliding against polymers, 59
Tribaloy 800
sliding wear performance of cobalt-based alloys in molten-Al-added zinc bath, 291
Tribofilm
the effect of tribofilm formation on the tribological characteristics of ceramic–cast iron sliding pairs, 1
Tribological characteristics
tribological performance and action mechanism of certain S,N heterocyclic compounds as potential lubricating oil additives, 83
Tribological properties
tribological properties of 4,5-di(cetyl thio)-1,3-dithiole-2-thione as additive in liquid paraffin, 273
Tricresyl phosphate
the effect of oxy-nitrided steel surface on improving the lubricating performance of tricresyl phosphate, 287
Turning process
the effect of extremely low lubricant volumes in machining, 76

Ultramicrohardness
subsurface characteristics of an abraded low carbon steel, 204

Vibration
vibration monitoring in sliding wear of plasma sprayed ceramics, 255

Water influences
effects of a second phase on the tribological properties of Al_2O_3 and ZrO_2 ceramics, 178
WC–Co
sliding wear performance of cobalt-based alloys in molten-Al-added zinc bath, 291
Wear
wear behaviour of laser-treated plasma-sprayed ZrO_2 coatings, 157
effects of a second phase on the tribological properties of Al_2O_3 and ZrO_2 ceramics, 178
Wear debris
investigation of HDPE wear debris formed by friction against metal surfaces with different oxide film content, 96
Wear displacement
analysis of wear behaviour of titanium carbonitride coatings, 245
Wear mechanism
the computer simulation of the temperature distribution on the surface of ceramic cutting tools, 39
Wear particles
numerical analysis of wear particles from non-arthritic and osteoarthritic human knee joints, 318
Wear rate
friction coefficient and wear rate of sputter-deposited thin films and plasma-sprayed thick coatings at high temperatures in room air, 326

Wear resistance
the computer simulation of the temperature distribution on the surface of ceramic cutting tools, 39
White iron
the effect of tribofilm formation on the tribological characteristics of ceramic–cast iron sliding pairs, 1
Wire drawing
enhanced boundary lubrication by potential control during copper wire drawing, 165
Work hardening
subsurface characteristics of an abraded low carbon steel, 204

XPS
investigation of transfer phenomenon by X-ray photoelectron spectroscopy and tribological properties of polymers sliding against polymers, 59
tribological performance and action mechanism of certain S,N heterocyclic compounds as potential lubricating oil additives, 83
effects of a second phase on the tribological properties of Al_2O_3 and ZrO_2 ceramics, 178
X-Ray imaging
wear behaviour of laser-treated plasma-sprayed ZrO_2 coatings, 157
X-ray photoelectron spectroscopy
tribological properties of 4,5-di(cetyl thio)-1,3-dithiole-2-thione as additive in liquid paraffin, 273

Zinc coatings
a comparative study on the evaluation of the tribological behaviour of polymer/zinc coated steel sheets, 88
Zirconia
comparison of the friction properties of four ceramic materials for joint replacements, 171
ZrO_2
effects of a second phase on the tribological properties of Al_2O_3 and ZrO_2 ceramics, 178
ZrO_2 coating
wear behaviour of laser-treated plasma-sprayed ZrO_2 coatings, 157